



PIK. 10,00

Skale 1:100/1:100




PIK. 32,53

Skale 1:100/1:100




PIK. 84,77

Skale 1:100/1:100



PIK. 121,27


Skala 1:100 / 1:100



PIK. 160,51

Skale 1:100/1:100

WYKOP = 0,00m²
 NASYP = 0,57m²
 P.P. = 130,00




PIK. 193,07

Skala 1:100/1:100


WYKOP = 0,00m²
 NASYP = 0,50m²

P.P. = 130,00



PIK. 206,10

Skale 1:100/1:100




P.P. = 127,00

RZĘDNE PROJEKTOWANE			131,81	131,87	131,93		131,88		131,83	131,77	131,68
RZĘDNE SPODU PROJ. NAWIERZCHNI			131,78	131,84	131,79		131,74		131,69	131,74	131,68
RZĘDNE TERENU	131,66	131,66	131,82						131,74	131,68	131,60
ODLEGŁOŚCI	-5,70	-5,10	-4,20	-3,59	-3,50	-2,50	0,00		2,50	3,50	3,63

PIK. 221,91

Skale 1:100/1:100




P.P. = 127,00

RZĘDNE PROJEKTOWANE		131,77	132,03	132,01		131,97		131,93	131,87	131,53
RZĘDNE SPODU PROJ. NAWIERZCHNI		131,94	131,92	131,87		131,83		131,79	131,78	131,53
RZĘDNE TERENU	131,65		131,83		131,83	131,83	131,71		131,78	131,50
ODLEGŁOŚCI	-5,00	-3,40	-3,00	-2,50	-2,00	-0,90	0,00	1,60	2,00	3,85

PIK. 302,84

Skale 1:100/1:100




P.P. = 128,00

RZĘDNE PROJEKTOWANE		132,25	132,66	132,64	132,60	132,56	132,50	132,32			
RZĘDNE SPODU PROJ. NAWIERZCHNI		132,57	132,55	132,50	132,46	132,42	132,41	132,32			
RZĘDNE TERENU	132,20		132,31		132,46	132,34		132,30			
ODLEGŁOŚCI	-5,00	-3,61	-3,00	-2,20	-2,00	-0,20	0,00	2,00	3,00	3,27	4,20

PIK. 385,08

Skale 1:100/1:100




P.P. = 128,00

RZĘDNE PROJEKTOWANE		132,81	133,05	133,03	132,99	132,95	132,89	132,64			
RZĘDNE SPODU PROJ. NAWIERZCHNI		132,96	132,94	132,89	132,85	132,81	132,80	132,64			
RZĘDNE TERENU	132,90		132,71		132,82	132,71		132,61			
ODLEGŁOŚCI	-4,60	-3,37	-3,00	-2,10	-2,00	0,00	2,00	3,00	3,37	4,00	8,00


PIK. 416,14

Skale 1:100/1:100




PIK. 473,36

Skale 1:100/1:100



PIK. 503,34

Skale 1:100/1:100




P.P. = 128,00

RZĘDNE PROJEKTOWANE		133,09	133,44	133,42		133,38		133,34		133,28	132,98	
RZĘDNE SPODU PROJ. NAWIERZCHNI			133,35	133,33	133,13		133,09		133,05	133,19		
RZĘDNE TERENU	133,00			133,20		133,10	133,10		133,10		132,90	
ODLEGŁOŚCI	-4,70	-3,52	-3,00	-2,20	-2,00	0,00	0,20	1,80	2,00	3,00	3,46	4,50

PIK. 553,46

Skale 1:100/1:100




P.P. = 129,00

RZĘDNE PROJEKTOWANE	133,50	133,50	133,63	133,71		133,89		134,07		134,09	133,60
RZĘDNE SPODU PROJ. NAWIERZCHNI		133,54	133,62	133,42		133,60		133,78	133,98	134,00	
RZĘDNE TERENU	133,50				133,50	133,60	133,60			133,60	133,60
ODLEGŁOŚCI	-4,20	-3,69	-3,50	-2,50	-1,10	0,00	0,90	2,50	3,50	3,99	4,00

PIK. 624,77

Skale 1:100/1:100




P.P. = 130,00

RZĘDNE PROJEKTOWANE		134,70	134,84	134,90		134,94		134,90	134,84	134,70
RZĘDNE SPODU PROJ. NAWIERZCHNI		134,75	134,81	134,61		134,65		134,61	134,81	134,75
RZĘDNE TERENU	134,70				134,70					134,70
ODLEGŁOŚCI	-4,00	-3,21	-3,00	-2,00	-1,00	0,00	1,10	2,00	3,00	3,21
										4,00

PIK. 686,51

Skale 1:100/1:100



P.P. = 131,00

RZĘDNE PROJEKTOWANE		135,50	135,59	135,65		135,69		135,65	135,59	135,60
RZĘDNE SPODU PROJ. NAWIERZCHNI		135,50	135,56	135,36		135,40		135,36	135,56	135,50
RZĘDNE TERENU	135,50			135,50		135,46		135,60		135,60
ODLEGŁOŚCI	-4,00	-3,13	-3,00	-2,00	-1,50	0,00	2,00	2,50	3,00	3,02
										4,00

PIK. 699,27

Skale 1:100/1:200

P.P. = 131,00

RZĘDNE PROJEKTOWANE	135,59 135,72 135,69 135,78	0,00	14,00 14,10 14,10 15,10 15,21 15,50
RZĘDNE SPODU PROJ. NAWIERZCHNI	135,63 135,69 135,49	135,58 135,49 135,78	135,64 135,69 135,72 135,65
RZĘDNE TERENU	135,59 135,60		
ODLEGŁOŚCI	12,00 11,19 11,00 10,00		